

### PQ-603 Cleandrive joining toolkit

The PQ-603 heat press has been specifically developed for hot joining of Habasit® Cleandrive™ series belts up to a width of 620 mm and a thickness of 10 mm using the Quickmelt method. The press is compact, lightweight and easy to use. It is portable, does not need water for cooling and there is no exposed hot part.



Adjustable Temperature	Adjustable by control unit		
Cooling Media	Air (internal fan)		
Max Belt Thickness	10 mm	0.39 inch	
Belt/tape width max.	610 mm	24 inch	
Pneumatics Operating Pressure	2.20 bar		
Custom Tariff	85158090		

Available versions	Item number	Power supply	Control unit
PQ-603/6	H088000411	1ph 120V 60Hz	PFR-101
PQ-603/8	H088000412	1ph 230V 50Hz	PFR-101

Available versions	Length	Width	Height	Weight	Operating temperature max
PQ-603/6	840 mm ( 33.071 inch )	150.0 mm ( 5.906 inch )	210.0 mm ( 8.268 inch )	19 kg ( 41.9 lb )	230 °C ( )
PQ-603/8	840 mm ( 33.071 inch )	150.0 mm ( 5.906 inch )	210.0 mm ( 8.268 inch )	19 kg ( 41.9 lb )	230 °C ( )

#### Disclaimer

##### Product Application Disclaimer (valid for ALL Habasit products and mentioned on all PDS)

This disclaimer is made by and on behalf of Habasit and its affiliated companies, directors, employees, agents and contractors (hereinafter collectively "HABASIT") with respect to the products referred to herein (the "Products"). SAFETY WARNINGS SHOULD BE READ CAREFULLY AND ANY RECOMMENDED SAFETY PRECAUTIONS BE FOLLOWED STRICTLY! Please refer to the Safety Warnings herein, in the Habasit catalogue as well as installation and operating manuals. All indications / information as to the application, use and performance of the Products are recommendations provided with due diligence and care, but no representations or warranties of any kind are made as to their completeness, accuracy or suitability for a particular purpose. The data provided herein are based on laboratory application with small-scale test equipment, running at standard conditions, and do not necessarily match product performance in industrial use. New knowledge and experience may lead to re-assessments and modifications within a short period of time and without prior notice. EXCEPT AS EXPLICITLY WARRANTED BY HABASIT, WHICH WARRANTIES ARE EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, THE PRODUCTS ARE PROVIDED "AS IS". HABASIT DISCLAIMS ALL OTHER WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NON-INFRINGEMENT, OR ARISING FROM A COURSE OF DEALING, USAGE, OR TRADE PRACTICE, ALL OF WHICH ARE HEREBY EXCLUDED TO THE EXTENT ALLOWED BY APPLICABLE LAW. BECAUSE CONDITIONS OF USE IN INDUSTRIAL APPLICATION ARE OUTSIDE OF HABASIT'S CONTROL, HABASIT DOES NOT ASSUME ANY LIABILITY CONCERNING THE SUITABILITY AND PROCESS ABILITY OF THE PRODUCTS, INCLUDING INDICATIONS ON PROCESS RESULTS AND OUTPUT.