Fabrication Tools PT-103S



PT-103S Hot pressing device

The PT-103S is a hot pressing device for joining Habasit belts up to a width of 100 mm and a thickness of 2.5 mm using the Thermofix system (skived and bonded). Top and bottom parts can be separated. A special setup plate ensures the correct positioning of the belt ends.



| Adjustable Temperature | No | | | |
|-----------------------------------------------|-------------|----|------|------|
| Cooling Media | Ambient air | | | |
| Max Belt Thickness | 3 | mm | 0.10 | inch |
| Belt/tape width max. For joining angle of 75° | 75 | mm | | |
| Belt/tape width max. | 100 | mm | 4 | inch |
| Custom Tariff | 85158090 | | | |

| Available versions | Item number | Power supply |
|--------------------|-------------|---------------|
| PT-103S/6 | H080690130 | 1ph 120V 60Hz |
| PT-103S/8 | H080690150 | 1ph 230V 50Hz |

| Available versions | Length | Width | Height | Weight |
|--------------------|------------------------|-----------------------|------------------------|-------------------|
| PT-103S/6 | 300 mm (11.811 inch) | 250.0 mm (9.843 inch) | 56.0 mm (2.205 inch) | 1.0 kg (2.2 lb) |
| PT-103S/8 | 300 mm (11.811 inch) | 250.0 mm (9.843 inch) | 56.0 mm (2.205 inch) | 1.0 kg (2.2 lb) |

Product Application Disclaimer (valid for ALL Habasit products and mentioned on all PDS)

This disclaimer is made by and on behalf of Habasit and its affiliated companies, directors, employees, agents and contractors (hereinafter collectively "HABASIT") with respect to the products referred to herein (the "Products"). SAFETY WARNINGS SHOULD BE READ CAREFULLY AND ANY RECOMMENDED SAFETY PRECAUTIONS BE FOLLOWED STRICTLY! Please refer to the Safety Warnings herein, in the Habasit catalogue as well as installation and operating manuals. All indications / information as to the application, use and performance of the Products are recommendations provided with due diligence and care, but no representations or warranties of any kind are made as to their completeness, accuracy or suitability for a particular purpose. The data provided herein are based on laboratory application with small-scale test equipment, running at standard conditions, and do not necessarily match product performance in industrial use. New knowledge and experience may lead to at standard conditions, and do not necessarily match product performance in industrial use. New knowledge and experience may lead to re-assessments and modifications within a short period of time and without prior notice.

EXCEPT AS EXPLICITLY WARRANTED BY HABASIT, WHICH WARRANTIES ARE EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, THE PRODUCTS ARE PROVIDED "AS IS". HABASIT DISCLAIMS ALL OTHER WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NON-INFRINGEMENT, OR ARISING FROM A COURSE OF DEALING, USAGE, OR TRADE PRACTICE, ALL OF WHICH ARE HEREBY EXCLUDED TO THE EXTENT ALLOWED BY APPLICABLE LAW. BECAUSE CONDITIONS OF USE IN INDUSTRIAL APPLICATION ARE OUTSIDE OF HABASIT'S CONTROL, HABASIT DOES NOT ASSUME ANY LIABILITY CONCERNING THE SUITABILITY AND PROCESS ABILITY OF THE PRODUCTS, INCLUDING INDICATIONS ON PROCESS RESULTS AND OUTPUT.